

Application No.: 09/902,774

2

Docket No.: 04970/000J592-US0

STATUS OF CLAIMS

1.- 4. Canceled.

5. (currently amended) A method of installing a plurality of solar cell modules,
comprising the steps of:

preparing a plurality of types of solar cell modules having an equal output
voltage and different sizes;

installing the prepared plurality of solar cell modules so that they are
connected in parallel; and

connecting positive and negative output lines of each solar cell module thus
prepared to positive and negative cables, respectively, so as to connect the solar cell modules in
parallel;

wherein the plurality of solar cell modules comprise mutually different
numbers of solar cell sub-modules of an equal size; and

The method of installing solar cell modules of claim 2, wherein the solar
cell sub-modules in the plurality of solar cell modules respectively comprise a plurality of power
generating regions, and the plurality of power generating regions are connected in series or in
parallel so that the plurality of solar cell modules as to obtain an equal a predetermined output
voltage, the respective power generating regions being separated in a direction crossing the
direction of series connection of the solar cells.

{W:\04970\000J592000\00125362.DOC 0000000000000000 }

Application No.: 09/902,774

3

Docket No.: 04970/000J592-US0

6. (previously presented) A solar cell module comprising:

a supporting member;

a plurality of solar cell sub-modules mounted on said supporting member, each of said solar cell sub-modules including a glass substrate and a plurality of solar cells arranged on the substrate;

a wiring member for electrically connecting said solar cell sub-modules positioned next to each other on said supporting member; and

a moisture impermeable cover member, mounted on said supporting member, for covering said wiring member;

said wiring member being sealed in a resin between said supporting member and said cover member.

7. (previously presented) A solar cell module comprising:

a metal base;

a plurality of solar cell sub-modules mounted on said metal base, each of said solar cell sub-modules including a plurality of solar cells;

a raised portion which is provided at one of opposing side edges of said metal base and has a first engagement section at its end; and

a suspended portion which is provided at the other side edge and has at its end a second engagement section that comes into engagement with the first engagement section of other solar cell module;

{W:\04970\000J592000\00125362.DOC 00000000000000000000000000000000 }

Application No.: 09/902,774

4

Docket No.: 04970/000J592-US0

wherein said solar cell sub-modules positioned next to each other are electrically connected to each other by a wiring member on said metal base, said raised portion has a base section provided parallel to a surface of said metal base, and the connection of said solar cell sub-modules by said wiring member is made between said metal base and said base section, said wiring member being sealed in a resin between said metal base and said base section.

8. (new) The method of installing solar cell modules of claim 5, wherein the plurality of solar cell modules have mutually different internal wiring designs so as to obtain an equal output voltage.

{W:\04970\000J592000\00125362.DOC [REDACTED] }